ELSEVIER

Applied Mathematical Modelling 23 (1999) 949–960

APPLIED MATHEMATICAL MODELLING

Subject Index to Volume 23

A-stability

One parameter quadratic C^1-spline collocation method for solving first order ordinary initial value problems, S. Sallam and M. Naim Anwar 23 (1999) 153

New efficient second derivative multistep methods for stiff systems, G.A.F. Ismail and I.H. Ibrahim 23 (1999) 279

A(α)-stability

New efficient second derivative multistep methods for stiff systems, G.A.F. Ismail and I.H. Ibrahim 23 (1999) 279

Absolute stability

One parameter quadratic C^1-spline collocation method for solving first order ordinary initial value problems, S. Sallam and M. Naim Anwar 23 (1999) 153

Actuator stroke

A tuning criterion for the inertial tuned damper. Design using phasors in the Argand–Gauss plane, A. Carotti and E. Turci 23 (1999) 199

Adaptive grid

An adaptive grid technique for the vertical structure of shallow water models, A.B. Fortunato and A. Oliveira 23 (1999) 639

Advection–diffusion equation

Analytical solution of a spatially variable coefficient advection–diffusion equation in up to three dimensions, C. Zoppou and J.H. Knight 23 (1999) 667

Air pollution

A computationally efficient Kalman smoother for the evaluation of the CH_4 budget in Europe, X.F. Zhang, A.W. Heemink, L.H.J.M. Janssen, P.H.M. Janssen and F.J. Sauter 23 (1999) 109

Analytical model

Sediment threshold, S. Dey 23 (1999) 399

Analytical solutions

Analytical solution of a spatially variable coefficient advection–diffusion equation in up to three dimensions, C. Zoppou and J.H. Knight 23 (1999) 667

Applications

Working with differential, functional and difference equations using functional networks, E. Castillo, A. Cobo, J.M. Gutiérrez and E. Pruneda 23 (1999) 89

Arbitrary external loads

A boundary element method in elastodynamics for geometrically axisymmetric problems, Z. Yang and H. Zhou 23 (1999) 501

ARMA models

Using ARMA models to forecast workpiece roundness error in a turning operation, E.H.K. Fung and A.P.L. Chung 23 (1999) 567

Arrival rates

The effect of different arrival rates on the *N*-policy of M/G/1 with server setup, S. Hur and S.-J. Paik 23 (1999) 289

Arteries

Propagation of weakly nonlinear waves in fluid-filled thick viscoelastic tubes, H. Demiray 23 (1999) 779

0307-904X/99/$ – see front matter © 1999 Elsevier Science Inc. All rights reserved.
PII: S0307-904X(99)00043-8

Axisymmetric geometry

A boundary element method in elastodynamics for geometrically axisymmetric problems, Z. Yang and H. Zhou 23 (1999) 501

Batch sedimentation

Two-phase modeling of batch sedimentation, M. Latsa, D. Assimacopoulos, A. Stamou and N. Markatos 23 (1999) 881

Bending moment

A comparison between continuous and discrete modelling of cables with bending stiffness, T.P. Dreyer and J.H. Van Vuuren 23 (1999) 527

Bioprocess

Sliding mode control of a denitrifying biofilter, J.P. Babary and S. Bourrel 23 (1999) 609

Blocking

Finite population cellular radio systems with directed retry, M. Jain 23 (1999) 77

Queueing analysis of a mobile trunked system with mixed traffic and finite population, M. Jain 23 (1999) 621

Blood flow

Propagation of weakly nonlinear waves in fluid-filled thick viscoelastic tubes, H. Demiray 23 (1999) 779

Boundary element method

A boundary element method in elastodynamics for geometrically axisymmetric problems, Z. Yang and H. Zhou 23 (1999) 501

Approximation of functions and their derivatives: A neural network implementation with applications, T. Nguyen-Thien and T. Tran-Cong 23 (1999) 687

Cable shape

A comparison between continuous and discrete modelling of cables with bending stiffness, T.P. Dreyer and J.H. Van Vuuren 23 (1999) 527

Casting

Transient thermal model for the hot chamber injection system in the pressure die casting process, I. Rosindale and K. Davey 23 (1999) 255

Cellular radio

Finite population cellular radio systems with directed retry, M. Jain 23 (1999) 77

CFD

The numerical simulation of the noncharring pyrolysis process and fire development within a compartment, F. Jia, E.R. Galea and M.K. Patel 23 (1999) 587

Channel assignment

Finite population cellular radio systems with directed retry, M. Jain 23 (1999) 77

Chemical reaction

Effect of chemical reaction on the dispersion of a solute in a porous medium, D. Pal 23 (1999) 557

Clinker formation

CFD predictions of cement kilns including flame modelling, heat transfer and clinker chemistry, E. Mastorakos, A. Massias, C.D. Tsakiroglou, D.A. Goussis, V.N. Burganos and A.C. Payatakes 23 (1999) 55

Coal combustion

Comparisons of two commercial computational fluid dynamics codes in modelling pulverised coal combustion for a 2.5 MW burner, C.N. Eastwick, S.J. Pickering and A. Aroussi 23 (1999) 437

Code comparisons

Comparisons of two commercial computational fluid dynamics codes in modelling pulverised coal combustion for a 2.5 MW burner, C.N. Eastwick, S.J. Pickering and A. Aroussi 23 (1999) 437

Collocation methods

One parameter quadratic C^1-spline collocation method for solving first order ordinary initial value problems, S. Sallam and M. Naim Anwar 23 (1999) 153

Computer

Mathematical modelling for optimized control of Moscow's sewer network, Y.A. Ermolin 23 (1999) 543

Constrained motion

Dynamic modelling of a rigid-flexible manipulator for constrained motion task control, Z.X. Shi, E.H.K. Fung and Y.C. Li 23 (1999) 509

Contention-collision elimination access mode

The mathematical modelling for the access mode of the Vth system model to a multiple star LAN, L. Zhaoyi, Z. Jianshu and L. Mai 23 (1999) 231

Control

Mathematical modelling for optimized control of Moscow's sewer network, Y.A. Ermolin 23 (1999) 543

Cost

Optimal control of a removable and non-reliable server in an infinite and a finite $M/H_2/1$ queueing system, K.-H. Wang, K.-W. Chang and B.D. Sivazlian, 23 (1999) 651

Crossover

Progressive genetic algorithm for solution of optimization problems with nonlinear equality and inequality constraints, J. Guan and M.M. Aral 23 (1999) 329

Cyclic plasticity

The generalized Masing models for deteriorating hysteresis and cyclic plasticity, D.-Y. Chiang 23 (1999) 847

Damagable items

Inventory of damagable items with variable replenishment rate, stock-dependent demand and some units in hand, M. Mandal and M. Maiti 23 (1999) 799

Data assimilation

A computationally efficient Kalman smoother for the evaluation of the CH_4 budget in Europe, X.F. Zhang, A.W. Heemink, L.H.J.M. Janssen, P.H.M. Janssen and F.J. Sauter 23 (1999) 109

Delay

Queueing analysis of a mobile trunked system with mixed traffic and finite population, M. Jain 23 (1999) 621

Demand

An inventory model of deteriorating items with lot-size dependent replenishment cost and a linear trend in demand, A.K. Bhunia and M. Maiti 23 (1999) 301

Deteriorating hysteresis

The generalized Masing models for deteriorating hysteresis and cyclic plasticity, D.-Y. Chiang 23 (1999) 847

Deterioration

An inventory model of deteriorating items with lot-size dependent replenishment cost and a linear trend in demand, A.K. Bhunia and M. Maiti 23 (1999) 301

Differential equations

Working with differential, functional and difference equations using functional networks, E. Castillo, A. Cobo, J.M. Gutiérrez and E. Pruneda 23 (1999) 89

Differential quadrature

The differential quadrature element method irregular element torsion analysis model, C. Chen 23 (1999) 309

Differential quadrature element method

The differential quadrature element method irregular element torsion analysis model, C. Chen 23 (1999) 309

Directed retry

Finite population cellular radio systems with directed retry, M. Jain 23 (1999) 77

Dispersion

Effect of chemical reaction on the dispersion of a solute in a porous medium, D. Pal 23 (1999) 557

Dynamic damper

A tuning criterion for the inertial tuned damper. Design using phasors in the Argand–Gauss plane, A. Carotti and E. Turci 23 (1999) 199

Dynamic modelling

Dynamic modelling of a rigid-flexible manipulator for constrained motion task control, Z.X. Shi, E.H.K. Fung and Y.C. Li 23 (1999) 509

Dynamics

The rotor dynamics of reeling machinery, H. Bartlett and R. Whalley 23 (1999) 757

Elastodynamics

A boundary element method in elastodynamics for geometrically axisymmetric problems, Z. Yang and H. Zhou 23 (1999) 501

Energy consumption

Mathematical modelling for optimized control of Moscow's sewer network, Y.A. Ermolin 23 (1999) 543

Erosion

Sediment threshold, S. Dey 23 (1999) 399

Error moddling and simulation

Using ARMA models to forecast workpiece roundness error in a turning operation, E.H.K. Fung and A.P.L. Chung 23 (1999) 567

Feedback (-gains)

A tuning criterion for the inertial tuned damper. Design using phasors in the Argand–Gauss plane, A. Carotti and E. Turci 23 (1999) 199

Finite buffer

Queueing analysis of a mobile trunked system with mixed traffic and finite population, M. Jain 23 (1999) 621

Finite integral transforms

Modelling non-Fourier heat conduction with periodic thermal oscillation using the finite integral transform, B. Abdel-Hamid 23 (1999) 899

Fire field model

The numcerical simulation of the noncharring pyrolysis process and fire development within a compartment, F. Jia, E.R. Galea and M.K. Patel 23 (1999) 587

Fixed-bed reacto

Sliding mode control of a denitrifying biofilter, J.P. Babary and S. Bourrel 23 (1999) 609

Flashover

The numerical simulation of the noncharring pyrolysis process and fire development within a compartment, F. Jia, E.R. Galea and M.K. Patel 23 (1999) 587

Flow distribution

Mathematical modelling for optimized control of Moscow's sewer network, Y.A. Ermolin 23 (1999) 543

Fluvial hydraulics

Sediment threshold, S. Dey 23 (1999) 399

Forecasting

Using ARMA models to forecast workpiece roundness error in a turning operation, E.H.K. Fung and A.P.L. Chung 23 (1999) 567

Foundation engineering

A boundary element method in elastodynamics for geometrically axisymmetric problems, Z. Yang and H. Zhou 23 (1999) 501

Function approximation

Approximation of functions and their derivatives: A neural network implementation with applications, T. Nguyen-Thien and T. Tran-Cong 23 (1999) 687

Function derivatives approximation

Approximation of functions and their derivatives: A neural network implementation with applications, T. Nguyen-Thien and T. Tran-Cong 23 (1999) 687

Functional equations

Working with differential, functional and difference equations using functional networks, E. Castillo, A. Cobo, J.M. Gutiérrez and E. Pruneda 23 (1999) 89

Functional networks

Working with differential, functional and difference equations using functional networks, E. Castillo, A. Cobo, J.M. Gutiérrez and E. Pruneda 23 (1999) 89

Generic differential quadrature

The differential quadrature element method irregular element torsion analysis model, C. Chen 23 (1999) 309

Genetic algorithm

Progressive genetic algorithm for solution of optimization problems with nonlinear equality and inequality constraints, J. Guan and M.M. Aral 23 (1999) 329

Green's element method

Green's function-based integral approaches to nonlinear transient boundary-value problems (II), A.E. Taigbenu and O.O. Onyejekwe 23 (1999) 241

Green's functions

Green's function-based integral approaches to nonlinear transient boundary-value problems (II), A.E. Taigbenu and O.O. Onyejekwe 23 (1999) 241

H_2 norm

Design and robustness analysis of decentralized constant volume-control for open-channels, C. Seatzu 23 (1999) 479

Handoffs

Finite population cellular radio systems with directed retry, M. Jain 23 (1999) 77

Heat diffusion modelling

Modelling non-Fourier heat conduction with periodic thermal oscillation using the finite integral transform, B. Abdel-Hamid 23 (1999) 899

Hyperbolic partial differential equations

Modelling non-Fourier heat conduction with periodic thermal oscillation using the finite integral transform, B. Abdel-Hamid 23 (1999) 899

Hyper-exponential

Optimal control of a removable and non-reliable server in an infinite and a finite M/H_2/1 queueing system, K.-H. Wang, K.-W. Chang and B.D. Sivazlian, 23 (1999) 651

Inclined settlers

Two-phase modeling of batch sedimentation, M. Latsa, D. Assimacopoulos, A. Stamou and N. Markatos 23 (1999) 881

Inclusion theory

Digital modeling and hybrid control of sampled-data uncertain system with input time delay using the law of mean, C.S. Shieh, J.S.H. Tsai and Y.Y. Sun 23 (1999) 131

Industrial CFD

CFD predictions of cement kilns including flame modelling, heat transfer and clinker chemistry, E. Mastorakos, A. Massias, C.D. Tsakiroglou, D.A. Goussis, V.N. Burganos and A.C. Payatakes 23 (1999) 55

Initial value problems

One parameter quadratic C^1-spline collocation method for solving first order ordinary initial value problems, S. Sallam and M. Naim Anwar 23 (1999) 153

Injection system

Transient thermal model for the hot chamber injection system in the pressure die casting process, I. Rosindale and K. Davey 23 (1999) 255

Integer programming

A stochastic programming model for scheduling maintenance personnel, S.O. Duffuaa and K.S. Al-Sultan 23 (1999) 385

Inventory

An inventory model of deteriorating items with lot-size dependent replenishment cost and a linear trend in demand, A.K. Bhunia and M.Maiti 23 (1999) 301

Inventory of damagable items with variable replenishment rate, stock-dependent demand and some units in hand, M. Mandal and M. Maiti 23 (1999) 799

Kalman filtering

A computationally efficient Kalman smoother for the evaluation of the CH_4 budget in Europe, X.F. Zhang, A.W. Heemink, L.H.J.M. Janssen, P.H.M. Janssen and F.J. Sauter 23 (1999) 109

Kalman smoother

A computationally efficient Kalman smoother for the evaluation of the CH_4 budget in Europe, X.F. Zhang, A.W. Heemink, L.H.J.M. Janssen, P.H.M. Janssen and F.J. Sauter 23 (1999) 109

LAN

The mathematical modelling for the access mode of the Vth system model to a multiple star LAN, L. Zhaoyi, Z. Jianshu and L. Mai 23 (1999) 231

Law of mean

Digital modeling and hybrid control of sampled-data uncertain system with input time delay using the law of mean, C.S. Shieh, J.S.H. Tsai and Y.Y. Sun 23 (1999) 131

Linearization

Progressive genetic algorithm for solution of optimization problems with nonlinear equality and inequality constraints, J. Guan and M.M. Aral 23 (1999) 329

Maintenance scheduling

A stochastic programming model for scheduling maintenance personnel, S.O. Duffuaa and K.S. Al-Sultan 23 (1999) 385

Masing model

The generalized Masing models for deteriorating hysteresis and cyclic plasticity, D.-Y. Chiang 23 (1999) 847

Mathematical model

A comparison between continuous and discrete modelling of cables with bending stiffness, T.P. Dreyer and J.H. Van Vuuren 23 (1999) 527

Mathematical modelling for optimized control of Moscow's sewer network, Y.A. Ermolin 23 (1999) 543

Mathematical modelling

Comparisons of two commercial computational fluid dynamics codes in modelling pulverised coal combustion for a 2.5 MW burner, C.N. Eastwick, S.J. Pickering and A. Aroussi 23 (1999) 437

Mixed traffic

Queueing analysis of a mobile trunked system with mixed traffic and finite population, M. Jain 23 (1999) 621

Model reduction

Thermal systems modelling via singular value decomposition: direct and modular approach, A. Yahia and E. Barrio 23 (1999) 447

Model uncertainty

Robust continuous-time and discrete-time flow control of a dam–river system. (I) Modelling, X. Litrico and D. Georges 23 (1999) 809

Modelling

The rotor dynamics of reeling machinery, H. Bartlett and R. Whalley 23 (1999) 757

Modular modelling

Thermal systems modelling via singular value decomposition: direct and modular approach, A. Yahia and E. Barrio 23 (1999) 447

Moving boundary problem

Numerical solution of a non-linear model for self-weight solids settlement, A.N. Papanicolaou and P. Diplas 23 (1999) 345

Multiderivative

New efficient second derivative multistep methods for stiff systems, G.A.F. Ismail and I.H. Ibrahim 23 (1999) 279

Multiple star LAN

The mathematical modelling for the access mode of the Vth system model to a mul-

tiple star LAN, L. Zhaoyi, Z. Jianshu and L. Mai 23 (1999) 231

Multistep

New efficient second derivative multistep methods for stiff systems, G.A.F. Ismail and I.H. Ibrahim 23 (1999) 279

Multivariable control

Dynamic modelling of a rigid-flexible manipulator for constrained motion task control, Z.X. Shi, E.H.K. Fung and Y.C. Li 23 (1999) 509

Mutation

Progressive genetic algorithm for solution of optimization problems with nonlinear equality and inequality constraints, J. Guan and M.M. Aral 23 (1999) 329

N-policy

The effect of different arrival rates on the *N*-policy of M/G/1 with server setup, S. Hur and S.-J. Paik 23 (1999) 289

Network

Mathematical modelling for optimized control of Moscow's sewer network, Y.A. Ermolin 23 (1999) 543

Neural network

Approximation of functions and their derivatives: A neural network implementation with applications, T. Nguyen-Thien and T. Tran-Cong 23 (1999) 687

Neural networks

Working with differential, functional and difference equations using functional networks, E. Castillo, A. Cobo, J.M. Gutiérrez and E. Pruneda 23 (1999) 89

Non-Fourier heat conduction

Modelling non-Fourier heat conduction with periodic thermal oscillation using the finite integral transform, B. Abdel-Hamid 23 (1999) 899

Nonhomogeneous Poisson process

The effect of different arrival rates on the *N*-policy of M/G/1 with server setup, S. Hur and S.-J. Paik 23 (1999) 289

Nonhomogeneous traffic

Finite population cellular radio systems with directed retry, M. Jain 23 (1999) 77

Nonlinear diffusion

Green's function-based integral approaches to nonlinear transient boundary-value problems (II), A.E. Taigbenu and O.O. Onyejekwe 23 (1999) 241

Non-linear finite element formulation

Numerical solution of a non-linear model for self-weight solids settlement, A.N. Papanicolaou and P. Diplas 23 (1999) 345

Non-uniform beams

Vibration and stability of non-uniform beams with abrupt changes of cross-section by using C^{-1} modified beam vibration functions, F.T.K. Au, D.Y. Zheng and Y.K. Cheung 23 (1999) 19

Numerical modeling

Recalculation of surface slopes as forcing for numerical water column models of tidal flow, H. Burchard 23 (1999) 737

Two-phase modeling of batch sedimentation, M. Latsa, D. Assimacopoulos, A. Stamou and N. Markatos 23 (1999) 881

Nyquist criterion

Design and robustness analysis of decentralized constant volume-control for open-channels, C. Seatzu 23 (1999) 479

Open-channel hydraulic system

Robust continuous-time and discrete-time flow control of a dam–river system. (I) Modelling, X. Litrico and D. Georges 23 (1999) 809

Open-channel irrigation system

Robust continuous-time and discrete-time flow control of a dam–river system. (II) Controller design, X. Litrico and D. Georges 23 (1999) 829

Open-channels

Design and robustness analysis of decentralized constant volume-control for open-channels, C. Seatzu 23 (1999) 479

Optimization

Progressive genetic algorithm for solution of optimization problems with nonlinear equality and inequality constraints, J. Guan and M.M. Aral 23 (1999) 329

Pade approximate method

Digital modeling and hybrid control of sampled-data uncertain system with input time delay using the law of mean, C.S. Shieh, J.S.H. Tsai and Y.Y. Sun 23 (1999) 131

Parallel cylinders

Longitudinal flow past cylinders arranged in a triangular array, C.Y. Wang 23 (1999) 219

Periodic thermal oscillation

Modelling non-Fourier heat conduction with periodic thermal oscillation using the finite integral transform, B. Abdel-Hamid 23 (1999) 899

Permeability

Longitudinal flow past cylinders arranged in a triangular array, C.Y. Wang 23 (1999) 219

Phasors in the Argand–Gauss plane

A tuning criterion for the inertial tuned damper. Design using phasors in the Argand–Gauss plane, A. Carotti and E. Turci 23 (1999) 199

PID controller

Robust continuous-time and discrete-time flow control of a dam–river system. (II) Controller design, X. Litrico and D. Georges 23 (1999) 829

Pole placement

Robust continuous-time and discrete-time flow control of a dam–river system. (II) Controller design, X. Litrico and D. Georges 23 (1999) 829

Poles and zeroes

A tuning criterion for the inertial tuned damper. Design using phasors in the Argand–Gauss plane, A. Carotti and E. Turci 23 (1999) 199

Polynomial demand

Inventory of damagable items with variable replenishment rate, stock-dependent demand and some units in hand, M. Mandal and M. Maiti 23 (1999) 799

Porous medium

Effect of chemical reaction on the dispersion of a solute in a porous medium, D. Pal 23 (1999) 557

Pressure gradient force

Recalculation of surface slopes as forcing for numerical water column models of tidal flow, H. Burchard 23 (1999) 737

Processes

The rotor dynamics of reeling machinery, H. Bartlett and R. Whalley 23 (1999) 757

Pumping station

Mathematical modelling for optimized control of Moscow's sewer network, Y.A. Ermolin 23 (1999) 543

Pyrolysis

The numerical simulation of the noncharring pyrolysis process and fire development within a compartment, F. Jia, E.R. Galea and M.K. Patel 23 (1999) 587

Quadratic spline

One parameter quadratic C^1-spline collocation method for solving first order ordinary initial value problems, S. Sallam and M. Naim Anwar 23 (1999) 153

Queue

Finite population cellular radio systems with directed retry, M. Jain 23 (1999) 77

Queueing analysis of a mobile trunked system with mixed traffic and finite population, M. Jain 23 (1999) 621

Optimal control of a removable and non-reliable server in an infinite and a finite $M/H_2/1$ queueing system, K.-H. Wang, K.-W. Chang and B.D. Sivazlian, 23 (1999) 651

Radiative heat transfer

CFD predictions of cement kilns including flame modelling, heat transfer and clinker

chemistry, E. Mastorakos, A. Massias, C.D. Tsakiroglou, D.A. Goussis, V.N. Burganos and A.C. Payatakes 23 (1999) 55

Reduced gradient

Progressive genetic algorithm for solution of optimization problems with nonlinear equality and inequality constraints, J. Guan and M.M. Aral 23 (1999) 329

Replenishment

An inventory model of deteriorating items with lot-size dependent replenishment cost and a linear trend in demand, A.K. Bhunia and M. Maiti 23 (1999) 301

Rigid-flexible manipulator

Dynamic modelling of a rigid-flexible manipulator for constrained motion task control, Z.X. Shi, E.H.K. Fung and Y.C. Li 23 (1999) 509

Robust control

Sliding mode control of a denitrifying biofilter, J.P. Babary and S. Bourrel 23 (1999) 609

Robust continuous-time and discrete-time flow control of a dam–river system. (II) Controller design, X. Litrico and D. Georges 23 (1999) 829

Robustness analysis

Design and robustness analysis of decentralized constant volume-control for open-channels, C. Seatzu 23 (1999) 479

Rod model

A comparison between continuous and discrete modelling of cables with bending stiffness, T.P. Dreyer and J.H. Van Vuuren 23 (1999) 527

Rotary kilns

CFD predictions of cement kilns including flame modelling, heat transfer and clinker chemistry, E. Mastorakos, A. Massias, C.D. Tsakiroglou, D.A. Goussis, V.N. Burganos and A.C. Payatakes 23 (1999) 55

Rotors

The rotor dynamics of reeling machinery, H. Bartlett and R. Whalley 23 (1999) 757

Sampling

Robust continuous-time and discrete-time flow control of a dam–river system. (I) Modelling, X. Litrico and D. Georges 23 (1999) 809

SDBDF

New efficient second derivative multistep methods for stiff systems, G.A.F. Ismail and I.H. Ibrahim 23 (1999) 279

Sediment

Sediment threshold, S. Dey 23 (1999) 399

Sediment threshold

Sediment threshold, S. Dey 23 (1999) 399

Sediment transport

Sediment threshold, S. Dey 23 (1999) 399

Sedimentary bed

Sediment threshold, S. Dey 23 (1999) 399

Self-weight consolidation

Numerical solution of a non-linear model for self-weight solids settlement, A.N. Papanicolaou and P. Diplas 23 (1999) 345

Server breakdown

Optimal control of a removable and non-reliable server in an infinite and a finite $M/H_2/1$ queueing system, K.-H. Wang, K.-W. Chang and B.D. Sivazlian, 23 (1999) 651

Setup cost

The effect of different arrival rates on the *N*-policy of M/G/1 with server setup, S. Hur and S.-J. Paik 23 (1999) 289

Sewage

Mathematical modelling for optimized control of Moscow's sewer network, Y.A. Ermolin 23 (1999) 543

Sewer

Mathematical modelling for optimized control of Moscow's sewer network, Y.A. Ermolin 23 (1999) 543

Shallow water model

An adaptive grid technique for the vertical structure of shallow water models, A.B. Fortunato and A. Oliveira 23 (1999) 639

Simulation

Thermal systems modelling via singular value decomposition: direct and modular approach, A. Yahia and E. Barrio 23 (1999) 447

The rotor dynamics of reeling machinery, H. Bartlett and R. Whalley 23 (1999) 757

Singular value

Design and robustness analysis of decentralized constant volume-control for open-channels, C. Seatzu 23 (1999) 479

Singular value decomposition

Thermal systems modelling via singular value decomposition: direct and modular approach, A. Yahia and E. Barrio 23 (1999) 447

Sliding mode

Sliding mode control of a denitrifying biofilter, J.P. Babary and S. Bourrel 23 (1999) 609

Smith predictor

Robust continuous-time and discrete-time flow control of a dam–river system. (II) Controller design, X. Litrico and D. Georges 23 (1999) 829

Solid fuel combustion

The numerical simulation of the noncharring pyrolysis process and fire development within a compartment, F. Jia, E.R. Galea and M.K. Patel 23 (1999) 587

Solitary waves

Propagation of weakly nonlinear waves in fluid-filled thick viscoelastic tubes, H. Demiray 23 (1999) 779

Stability

Vibration and stability of non-uniform beams with abrupt changes of cross-section by using C^1 modified beam vibration functions, F.T.K. Au, D.Y. Zheng and Y.K. Cheung 23 (1999) 19

Stiff-equations

One parameter quadratic C^1-spline collocation method for solving first order ordinary initial value problems, S. Sallam and M. Naim Anwar 23 (1999) 153

Stiff stability

New efficient second derivative multistep methods for stiff systems, G.A.F. Ismail and I.H. Ibrahim 23 (1999) 279

Stiff systems

New efficient second derivative multistep methods for stiff systems, G.A.F. Ismail and I.H. Ibrahim 23 (1999) 279

Stochastic programming

A stochastic programming model for scheduling maintenance personnel, S.O. Duffuaa and K.S. Al-Sultan 23 (1999) 385

Stock-dependent demand

Inventory of damagable items with variable replenishment rate, stock-dependent demand and some units in hand, M. Mandal and M. Maiti 23 (1999) 799

Supplementary variables

The effect of different arrival rates on the *N*-policy of M/G/1 with server setup, S. Hur and S.-J. Paik 23 (1999) 289

Taper turning

Using ARMA models to forecast workpiece roundness error in a turning operation, E.H.K. Fung and A.P.L. Chung 23 (1999) 567

Telecommunications

Queueing analysis of a mobile trunked system with mixed traffic and finite population, M. Jain 23 (1999) 621

Thermal

Transient thermal model for the hot chamber injection system in the pressure die casting process, I. Rosindale and K. Davey 23 (1999) 255

Thermal systems

Thermal systems modelling via singular value decomposition: direct and modular approach, A. Yahia and E. Barrio 23 (1999) 447

Three-dimensional

An adaptive grid technique for the vertical structure of shallow water models, A.B. Fortunato and A. Oliveira 23 (1999) 639

Tidal flow

Recalculation of surface slopes as forcing for numerical water column models of tidal flow, H. Burchard 23 (1999) 737

Time delay

Robust continuous-time and discrete-time flow control of a dam–river system. (I) Modelling, X. Litrico and D. Georges 23 (1999) 809

Robust continuous-time and discrete-time flow control of a dam–river system. (II) Controller design, X. Litrico and D. Georges 23 (1999) 829

Trajectory tracking

Dynamic modelling of a rigid-flexible manipulator for constrained motion task control, Z.X. Shi, E.H.K. Fung and Y.C. Li 23 (1999) 509

Two-, three-dimensional problems

Analytical solution of a spatially variable coefficient advection–diffusion equation in up to three dimensions, C. Zoppou and J.H. Knight 23 (1999) 667

Two-phase flow

Two-phase modeling of batch sedimentation, M. Latsa, D. Assimacopoulos, A. Stamou and N. Markatos 23 (1999) 881

Uncertain system

Digital modeling and hybrid control of sampled-data uncertain system with input time delay using the law of mean, C.S. Shieh, J.S.H. Tsai and Y.Y. Sun 23 (1999) 131

Universal stress–strain curve

The generalized Masing models for deteriorating hysteresis and cyclic plasticity, D.-Y. Chiang 23 (1999) 847

Validation

A comparison between continuous and discrete modelling of cables with bending stiffness, T.P. Dreyer and J.H. Van Vuuren 23 (1999) 527

Variable coefficients

Analytical solution of a spatially variable coefficient advection–diffusion equation in up to three dimensions, C. Zoppou and J.H. Knight 23 (1999) 667

Variable replenishment

Inventory of damagable items with variable replenishment rate, stock-dependent demand and some units in hand, M. Mandal and M. Maiti 23 (1999) 799

Variable structure control

Sliding mode control of a denitrifying biofilter, J.P. Babary and S. Bourrel 23 (1999) 609

Vertical discretization

An adaptive grid technique for the vertical structure of shallow water models, A.B. Fortunato and A. Oliveira 23 (1999) 639

Vertical mixing

Recalculation of surface slopes as forcing for numerical water column models of tidal flow, H. Burchard 23 (1999) 737

Vibration

Vibration and stability of non-uniform beams with abrupt changes of cross-section by using C^1 modified beam vibration functions, F.T.K. Au, D.Y. Zheng and Y.K. Cheung 23 (1999) 19

Vibration functions

Vibration and stability of non-uniform beams with abrupt changes of cross-section by using C^1 modified beam vibration functions, F.T.K. Au, D.Y. Zheng and Y.K. Cheung 23 (1999) 19

Viscoelastic tubes

Propagation of weakly nonlinear waves in fluid-filled thick viscoelastic tubes, H. Demiray 23 (1999) 779

Viscous flow

Longitudinal flow past cylinders arranged in a triangular array, C.Y. Wang 23 (1999) 219

Weighting coefficients

The differential quadrature element method irregular element torsion analysis model, C. Chen 23 (1999) 309